


Clearspan Canopies

Pre-engineered canopies + walkways

Our BriteWay™ clearspan canopy is a standardized system that has been pre-engineered based on specific design criteria to ensure lasting performance. The innovative clearspan design eliminates the need for cross-bracing, which opens up the space below the canopy structure, creating a more comfortable and pleasant environment for pedestrians. These canopies not only provide shelter, but also allow diffuse natural light to pass through, resulting in a more vibrant walkway.

Benefits include...

- Design flexibility a wide range of standard and custom finish colors, a broad selection of glazing colors, and a maximum canopy width of up to 20 ft.
- The rust-free aluminum structure offers excellent durability and system longevity
- KLA is able to provide a single-source solution, supplying everything from the ground up
- Components are shipped fully fabricated and ready to be assembled to ensure superior quality control and simplify the installation process
- No on-site cutting, welding or painting is necessary, which reduces labor time and installation costs
- Optional gutters and downspouts can be provided by Kingspan Light + Air | CPI Daylighting
- Optional Kynar® finish is available with up to a 20-year warranty
- An economical solution that fits your budget











Clearspan Canopy Design Standards

Canopy Width 8' to 20' Vault Height = Width x 0.134 Rafter Overhang 12" to 36" 14' Maximum Spacing Between Columns Vault —

Additional Configurations





Kingspan Light + Air CPI Daylighting

28662 N. Ballard Drive Lake Forest, IL 60045 U.S.A.

800.759.6985 847.816.1060 Fax 847.816.0425







To learn more, visit: cpidaylighting.com

@ 2016 Kingspan Light + Air | CPI Daylighting All rights reserved.

 $\textit{Kingspan Light} + \textit{Air} \mid \textit{CPI Daylighting, Inc. reserves the right to}$ change, discontinue or modify our products, specifications and designs at any time without notice and without incurring obligations. Printed in the U.S.A.